

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV-01-1996NEW PRIORITY DATE:
JUN 5 2007

Returned to applicant for correction _____

Corrected application filed _____

Map filed NOV 20 1996

The applicant Hyundai America Technical Center, Incorporated, a Michigan Coporation, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is an underground source in Nye County, Nevada
2. The amount of water applied for is 0.09 C.F.S., not to exceed 2 A.F.A. second-feet
 - (a) If stored in reservoir give number of acre-feet
3. The water to be used for Commercial
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under No. 12. "Remarks") See item 12
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point within the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 33, T.11S., R.47E., M.D.M., or at a point from which the South $\frac{1}{4}$ corner of said section 33 bears S 07°41'20" E, a distance of 1532.30 feet.
6. Place of Use Parcel #2 as shown on parcel map F.236318, Nye County official records, being 1.48 acres in the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 33 T.11S., R.47E., M.D.M.. APN. 18-161-41.
7. Use will begin about January 1 and end about December 31, of each year.
8. Description of proposed works an 8" dia. X 200' deep drillrd well, cased all the way, with a 3 hp. submersible pump.
9. Estimated cost of works \$6000
10. Estimated time required to construct works 2 years
11. Estimated time required to complete the application of water to beneficial use 3 years
12. Remarks: a 13 room employees dormatory, and automobile shop for testing new automobiles.

By s/ Lisle Lowe
Lisle Lowe Agent
HCR. Box 400-E
Amargosa Valley, Nv, 89020

Compared cl/nsr cl/cmsProtested 01/13/97 by Beatty Water & Sanitation District;

02/06/97 by Charles W. Pettee;

Pro. Overruled 2/28/97 Ruling No. 4502

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.09 cubic feet per second, but not to exceed 2.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 27, 1999

Proof of completion of work shall be filed before:

June 27, 1999

Application of water to beneficial use shall be filed on or before:

May 27, 2002

Proof of the application of water to beneficial use shall be filed on or before:

June 27, 2002

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,
State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 27th day of May, A.D. 1997


State Engineer

Completion of work filed SEP 21 1999

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

~~RECEIVED MAY 07 2007 BECAUSE OF
FAILURE OF APPLICANT TO COMPLY WITH THE
PROVISIONS OF PERMIT~~

~~Tracy Taylor P.E. STATE ENGINEER~~ (Rev. Rescinded 2-11-2007)